

Tianjin Gaanes Metal Technology Co.,LTD



Steel Products Specialist

Gaanes Metal

— Ensure the quality of Steel Products

Address: CBD, Lixia District, Jinan City

联系人 /contact: sales

电话 /phone: +13642131571

邮箱 /E-mail: tjjssteel@163.com/sales@tjjssteel.com

网址 /WEB: <http://www.tjjssteel.com>

PRODUCT RANGE

gaanes carbon steel

- Carbon steel plate
- Carbon steel coil
- Seamless pipe
- Round bar
- welded pipe
- Precision tube

Carbon alloy


- Carbon alloy pipe

- Square Pipe



Tianjin Gaanes Metal

gaanes carbon steel-Plate Series



We Can Provide			
Carbon steel plate			
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.		
Thick:	0.3mm-200mm	Standard:	ASTM AISI DIN JIS GB EN
Width:	40mm-3500mm	Process:	Cold rolling, hot rolling
Length:	3000-1200mm or Customized	Certification:	ISO, SGS, BV
Application:	Widely used in construction, chemical, food, agriculture, ship parts and other industries. Suitable for train, airplane, conveyer belt, vehicle, bolt, nut, spring, screen, etc.		
Packaging & Delivery			
Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes carbon steel-alloy tube series



We Can Provide			
Carbon alloy pipe			
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.		
Thick:	1mm-150mm	Standard:	ASTM AISI DIN JIS GB EN
Diameter:	8mm-1220mm	Process:	Cold drawn, hot rolling
Length:	3000-1400mm or Customized	Certification:	ISO, SGS, BV
Application:	It is suitable for seamless steel tubes with high temperature, low temperature and corrosion resistance in petroleum, chemical, electric power and boiler industries.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes carbon steel-alloy tube series



We Can Provide			
Square Pipe			
Material:	A36, A53, A106, A192, ST52, Q345B, Q355, A210, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.		
Thick:	0.8mm-12.75mm	Standard:	ASTM AISI DIN JIS GB EN
Diameter:	10*10-400*400	Process:	Galvanized
Length:	1000-1200mm or Customized	Certification:	ISO, SGS, BV
Application:	Widely used in construction, chemical, food, agriculture, ship parts and other industries. Suitable for train, airplane, conveyer belt, vehicle, bolt, nut, spring, screen, etc.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes carbon steel-pipe series



We Can Provide	
Seamless Pipe	
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.
Thick:	0.3mm-200mm
Standard:	ASTM AISI DIN JIS GB EN
Width:	40mm-3500mm
Process:	Cold rolling, hot rolling
Length:	3000-1400mm or Customized
Certification:	ISO, SGS, BV
Application:	Widely used in construction, chemical, food, agriculture, ship parts and other industries. Suitable for train, airplane, conveyer belt, vehicle, bolt, nut, spring, screen, etc.
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands	
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM	
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM	
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM	

Tianjin Gaanes Metal

gaanes carbon steel-rod series



We Can Provide	
Round Bar	
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.
Diameter:	4mm-800mm
Standard:	ASTM AISI DIN JIS GB EN
Length:	3000-1400mm or Customized
Process:	Forging, Hot rolled
Surface Treatment:	Black or Rough turned, Grinded, Pe
Certification:	ISO, SGS, BV
Application:	It is suitable for large gear used in locomotive traction, transmission gear of supercharger, rear axle, connecting rod and spring clamps with great load, also can be used for drilling pipe joints and fishing tools in deep oil Wells below 2000m.
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands	
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM	
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM	
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM	

Tianjin Gaanes Metal


gaanes carbon steel-coil series



We Can Provide			
Carbon steel coil			
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.		
Thick:	0.3mm-200mm	Standard:	ASTM AISI DIN JIS GB EN
Width:	40mm-3500mm	Process:	Cold rolling, hot rolling
Length:	3000-1200mm or Customized	Certification:	ISO, SGS, BV
Application:	Widely used in construction, chemical, food, agriculture, ship parts and other industries. Suitable for train, airplane, conveyer belt, vehicle, bolt, nut, spring, screen, etc.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes Stainless steel section-series



We Can Provide			
Precision pipe			
Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116, 201, 304, 316, 316L, 32 etc.		
Thick:	0.1mm-50mm	Standard:	ASTM AISI DIN JIS GB EN
Diameter:	6mm-530mm	Process:	Finishing
Length:	2000-1200mm or Customized	Certification:	ISO, SGS, BV
Application:	Widely used in manufacturing precision machinery parts and engineering structures. Also commonly used in the production of a variety of conventional weapons, barrel, shell, bearing.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(Length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP: 12032mm(Length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC: 12032mm(Length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes carbon steel-welded pipe



We Can Provide

Welded pipe

Material:	A36, A53, A106, A192, ST52, Q355, A210, T12, T11, P5, P9, P91, T22, A333, 4140, 5135 etc.		
Grade(EN):	1.7220, 1.7336, 1.2601, 1.7380, 1.7335, 1.0033, 1.0116 etc.		
Thick:	1mm-150mm	Standard:	ASTM AISI DIN JIS GB EN
Diameter:	8mm-1220mm	Process:	Argon arc welding, Submerged arc welding, High frequency welding
Length:	3000-1400mm or Customized	Certification:	ISO, SGS, BV
Application:	Suitable for general structure support, low pressure fluid transportation, etc		

Packaging & Delivery

Packaging Details
in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands

20ft GP: 5898mm (Length) x 2352mm (Width) x 2393mm (High) 24-26CBM

40ft GP: 12032mm (Length) x 2352mm (Width) x 2393mm (High) 54CBM

40ft HC: 12032mm (Length) x 2352mm (Width) x 2698mm (High) 68CBM

Tianjin Gaanes Metal

gaanes carbon steel-PC steel bar



PC steel bar

Diameter	7mm, 9mm, 11mm, 15mm etc.
Length	coil or 9m 12m
Type	TMT (Thermo-Mechanical-Treatment) hot rolled prestressed
Standard & Grade	30MnSi 35Si2Mn
	JISG3137-1994
	GB/T5223.3-2005
Packing	In bundle
Application	Building construction, construction concrete

Tianjin Gaanes Metal

gaanes Galvanized steel coil



We Can Provide			
Galvanized Steel Coil			
Material:	DX51D-DX53D		
Grade (EN):	DX51D.SGCC.DX52D.ASTMA653.JISG3302		
Thickness:	0.12-5.5mm or as required	Standard:	AISI, ASTM, BS, DIN, GB, JIS
Width:	20-1250mm or as required	Zinc Coating:	60-275g/m ²
Weight:	3.5-5Tons	Certification:	ISO.SGS.CE
Application:	Widely used in construction, chemical, food, agriculture, ship parts and other industries. Suitable for train, airplane, conveyer belt, vehicle, bolt, nut, spring, screen, etc.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(L) x 2352mm(W) x 2393mm(H) 24-26CBM 40ft GP: 12032mm(L) x 2352mm(W) x 2393mm(H) 54CBM 40ft HC: 12032mm(L) x 2352mm(W) x 2698mm(H) 68CBM			

Tianjin Gaanes Metal

gaanes Color Coated Galvanized steel Coil



We Can Provide			
Color Coated Galvanized Steel Coil			
Material:	TDC51DZM/TDC52DTS350GD/TS550GD/DX51D+		
Grade (EN):	DC51D+Z.DX51D+Z.SGCC, DC51D+Z.DX51D+Z.SGCC/CGCC		
Thickness:	0.12mm-1.2mm or as required	Standard:	AISI, ASTM, DIN, GB, JIS, BS, AISI, ASTM, BS, JIS, DIN, EN, GB, etc.
Width:	20-2200mm or as required	Zinc Coating:	60-275g/m ²
Weight:	3.5-5Tons	Certification:	ISO.SGS.CE
Application:	Widely used in manufacturing precision machinery parts and engineering structures. Also commonly used in the production of a variety of conventional weapons, barrel, shell, bearing.		
Packaging & Delivery Packaging Details in bundle, plastic bags, thin film, wooden pallet, standard seaworthy export packing or as customer demands			
20ft GP: 5898mm(L) x 2352mm(W) x 2393mm(H) 24-26CBM 40ft GP: 12032mm(L) x 2352mm(W) x 2393mm(H) 54CBM 40ft HC: 12032mm(L) x 2352mm(W) x 2698mm(H) 68CBM			

Tianjin Gaanes Metal


gaanes Aluminium-alloy pipe series



We Can Provide	
Aluminium-alloy pipe series	
Material:	6061,6063,1100,3003,1060,5083,5086,5052,5154,5056,5456,2024,2014,7075,7003,7005
Grade (EN):	GB/T 6893-2000,GB/T 4437.1-2000,GB/T 4437.2-2000,ASTM B210M-05,ASTM B234M-04,ASTM B241
Thickness:	0.6mm-150mm
Standard:	AISI, ASTM, BS, DIN, GB, JIS
OD:	2mm-2500mm
Surface Treatment:	Powder Coating, Polish etc.
Length:	1m,3m,5.8m,6m,12m or as required
Certification:	ISO,SGS,CE
Application:	Aluminum tube has been everywhere in our life.It is widely used in all walks of life, such as cars, ships, aerospace, aviation, electronics, agriculture, mechanical and electrical home.
Packaging & Delivery Packaging Details in bundle,plastic bags,thin film,wooden pallet,standard seaworthy export packing or as customer demands	
20ft GP:5898mm(L,Length)x2352mm(Width)x2393mm(High) 24-26CBM 40ft GP:12032mm(L,Length)x2352mm(Width)x2393mm(High) 54CBM 40ft HC:12032mm(L,Length)x2352mm(Width)x2698mm(High) 68CBM	

Tianjin Gaanes Metal

gaanes Stainless steel sheet And plate



We Can Provide	
Stainless Steel Sheet And Plate	
Material:	201/202/304/304L/316/316L/430/410, etc.
Grade (EN):	BA/2B/NO.1/NO.4/HL/8K/EMBOSSSED or according to customer requirementg,etc.
Thickness:	0.1mm-160mm or as required
Standard:	JIS, AISI, ASTM, GB, DIN, EN
Width:	100mm-2500mm or as required
Payment Terms:	30% T/T Advance + 70% Balance
Length:	1000mm-6000mm or as required
Certification:	ISO,SGS,CE
Application:	Stainless steel has a wide range of applications, including construction, public areas, food processing, catering, brewing and chemical industries, because it is beautiful, easy to clean, and can also use chemical cleaning agents, and it is not easy it breeds bacteria and is loved by people
Packaging & Delivery Packaging Details in bundle,plastic bags,thin film,wooden pallet,standard seaworthy export packing or as customer demands	
20ft GP:5898mm(L,Length)x2352mm(Width)x2393mm(High) 24-26CBM 40ft GP:12032mm(L,Length)x2352mm(Width)x2393mm(High) 54CBM 40ft HC:12032mm(L,Length)x2352mm(Width)x2698mm(High) 68CBM	

Tianjin Gaanes Metal


gaanes Steel Rebar



We Can Provide			
Steel Rebar			
Grade (EN):	HRB335 HRB400 HRB500 ASTM GR40 GR60,etc.		
Length:	Length:Single random length/Double random length 5m-14m,5.8m,6m,10m-12m,12m or as customer's actual request		
Size:	6mm-50mm	Delivery Time:	Usually within 5-15 days after receipt of advance payment
MOQ:	10 Tons	Surface Treatment:	Galvanized, PVC,Black and color painting etc.
Payment:	30%TT Advance + 70% Balance	Certification:	APIISO9001-2008,SGS,BV
Application:	Steel bars are widely used in various building structures. Especially large, heavy, light thin-walled and high-rise building structures.		
Packaging & Delivery			
Packaging Details in bundle,thin film,standard seaworthy export packing or as customer demands			
20ft GP:5898mm(L length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP:12032mm(L length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC:12032mm(L length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes TMBP(Tin Mill Black plate)



We Can Provide			
TMBP (Tin Mill Black Plate)			
Material:	MR SPCC		
Temper:	T1/T2/T2.5/T3/T4/T5/DR7/DR7.5/DR8/DR9/DR9M/DR10,etc.		
Thickness:	0.15-0.5mm	Standard:	BS EN 10202, DIN EN 10203, GB/T2520, JIS G3303
Width:	600-1050mm	Payment Terms:	30% T/T Advance + 70% Balance
Finish:	Stone, Bright, Silver	Annealing:	BA: for Batch Annealing CA: for Continuous Annealing
Application:	Widely used in packaging materials and canning industries in the food, light industry, automotive and home appliance industries.		
Packaging & Delivery			
Packaging Details :Plastic bags,thin film,wooden pallet,standard seaworthy export packing or as customer demands Delivery :Delivery within 15-30 days after receiving the deposit or negotiate according to the order quantity			
20ft GP:5898mm(L length)x2352mm(Width)x2393mm(High) 24-26CBM			
40ft GP:12032mm(L length)x2352mm(Width)x2393mm(High) 54CBM			
40ft HC:12032mm(L length)x2352mm(Width)x2698mm(High) 68CBM			

Tianjin Gaanes Metal

gaanes Straight Copper pipe



We Can Provide					
Straight Copper Pipe					
Grade (EN):	C1100/C1200/C1220/TU1/TU2/T2.etc.				
Application:	Water/ Air conditioner				
Specification:	2-120mm	Cu (Min):	99.9%	Model Number:	C11000.C12200
MOQ:	1 Ton	Elongation (> %):	40%	Elongation (> %):	40%
Wall Thickness:	0.2mm-120mm	Outside Diameter:	2mm-914mm	Place of Origin:	China
Processing Service:	Bending, Decoiling, Welding, Punching, Cutting				
Packaging & Delivery					
Packaging Details					
in bundle, thin film, standard seaworthy export packing or as customer demands					
20ft GP: 5898mm(L) x 2352mm(W) x 2393mm(H) 24-26CBM					
40ft GP: 12032mm(L) x 2352mm(W) x 2393mm(H) 54CBM					
40ft HC: 12032mm(L) x 2352mm(W) x 2698mm(H) 68CBM					

PACKAGING AND TRANSPORTATION

packing details

Strong and high pallets to avoid damage by fork lift;
Inner plastic film to prevent water;
Outer carton or plywood to prevent scratch;
More steel or woven straps to ensure the stability of package;
Fortified angle bead.



STORAGE MANAGEMENT

